

IBM System Storage DS6800



Highlights

- *Designed to deliver enterprise-class storage functionality for distributed and mainframe servers in a modular, space-saving, power-efficient, scalable package*
- *Provides low total cost of ownership by offering tiered pricing on software and a 24x7 IBM on-site repair warranty that covers both hardware and software*
- *Designed to offer a highly available, robust storage solution for medium and large enterprises*
- *Supports advanced copy services, which are interoperable with IBM System Storage™ DS8000™ series and IBM TotalStorage® Enterprise Storage Server®*
- *Designed to provide over 1600 MBps performance for high throughput applications*
- *Includes 8 host ports supporting Fibre Channel and IBM FICON® connectivity*
- *Includes IBM DS6000™ storage manager software that supports a Web-based intuitive interface and Express Configuration Wizards for simplified system configuration and management*

Flexible, high-performance storage for medium and large enterprises

The IBM System Storage DS6000 series is an innovative storage system designed to provide high availability and high performance in a small, space-saving, power-efficient modular package. This series, along with the DS8000 series, offers an enterprise-class continuum of storage systems with shared replication services and common management interfaces. The DS6000 series is well suited to help you simplify your storage infrastructure, and help you manage growth and complexity through consolidation of storage onto this platform.

As part of the IBM System Storage DS® Family, the DS6800 is designed to provide medium and large businesses with a low-cost, enterprise-class storage solution to help simplify data management and to provide comprehensive data protection and recovery capabilities and easy scalability for both mainframe and open system storage needs.

Enterprise-class Reliability, Availability and Serviceability (RAS)

The DS6800 is designed to provide enterprise-class reliability, availability and serviceability by orchestrating its operations dynamically to improve performance, identify problems before they occur, and take preemptive, corrective action without administrative intervention.

The DS6000 series includes multi-pathing software designed to provide enhanced data availability through automatic path failover and improved performance through dynamic I/O load balancing across multiple paths.

The DS6800 complements the multi-pathing software by leveraging the system's four data paths with the system's dynamic data-path operations. The DS6800 uses sophisticated algorithms that monitor existing data traffic to select an optimal path to store and

retrieve data from the system. The preferred path operations of the DS6800 can automatically re-route a read or write request from one path to another while the data is in-flight.

The DS6800 enterprise-class storage system has proven reliability and is designed to deliver both high data availability and resiliency. The system's hardware architecture of four data paths to each disk drive can provide data availability and resiliency against single, double and triple failures.

Performance, storage capacity in a compact enclosure

The DS6800 measures 5.25" high and 19" wide, and it weighs approximately 135 lbs. with up to 7.2 TB of storage. Through IBM innovation, the DS6800 system is designed to provide the performance and resiliency previously found in monolithic storage systems that weigh over 2000 lbs and are the size of double-wide refrigerators.

The DS6800 offers impressive performance with over 1600 MBps throughput and over 330,000 IOPS in a space-efficient design. Excelling in throughput and I/O processing, the DS6800 is a good fit for high rate transaction-oriented and bandwidth-intensive applications and can satisfy the needs of performance hungry workloads. The eight-drive connections of the DS6800 support up to 128 disk drives with the attachment of seven DS6000 disk expansion units, making it well suited to heterogeneous server environments.

The system houses up to 16 drives in each model 522 controller or model EX2 storage expansion unit. Each unit is only 5-1/4 inches high—3U of rack space—making the system extremely compact. Additionally, the DS6000 series pricing is intended to match its compact size, offering businesses a low-cost entrance to the powerful DS Family of enterprise-class storage.

Consolidated storage infrastructure

The DS6800 can help you simplify your IT infrastructure by supporting a wide range of servers, both mainframe and open systems, including IBM System z®, System i®, System p®, System x™ and non-IBM platforms running UNIX®, Linux®, and Windows® operating systems.

For IBM System i5® servers, implementing external storage is made easier with boot from SAN capabilities. The DS6800 can provide external Load Source Unit (LSU), Auxiliary Storage Pool (ASP), and Independent Auxiliary Storage Pool (IASP) connectivity for System i5 servers and its LPARs.

The DS6800 offers performance and scalability capabilities for storage consolidation and clustering applications. Its modular architecture and advanced features are designed to support on demand environments by helping to enable mainframe and open systems storage to grow as demands increase.

The DS6800 is designed to help consolidate server storage into a centrally-managed, shared or storage area network (SAN) environment. With its modular design, the DS6800 system can scale from 292 GB up to 57.6 TB of physical storage capacity by adding storage expansion enclosures, each of which can contain up to 16 hard disk drives (HDD). Non-disruptive storage capacity expansion helps businesses maintain high data availability while accommodating rapid data growth.

The DS6800 offers high-performance, heavy duty-cycle Fibre Channel disk drives in 73, 146, 300 and 450 GB sizes.

Support for data integrity and protection

The IBM System Storage DS6000 series offers the latest innovations from IBM in storage infrastructure performance and management, helping enable storage environments to deliver unprecedented data availability. High availability and reliability with a choice of RAID levels, redundant, hot-swappable components, and resiliency features of the DS6800 helps to maintain data availability at enterprise-class levels.

Resiliency features of the DS6800 are designed to deliver powerful, dynamic capabilities to help protect data and prevent failure, not just respond and recover. By using multiple, end-to-end data checking and verification processes during both read and write operations, the DS6800 helps to protect data integrity as data moves through the storage system. IBM Predictive Failure Analysis® and autonomic functions of the DS6800 enable the system to proactively take corrective actions before component failure.

Support for business continuity

The DS6800 features enterprise-class data backup and disaster recovery capabilities. IBM FlashCopy® can create point-in-time copies of data that allow users to have nearly instantaneous access to information on both the source and target volumes. IBM System Storage Metro Mirror and Global Mirror options can generate and maintain data-consistent copies of data on separate storage systems

installed either locally or at a geographically dispersed location. These functions are designed to help protect data and to provide failover and failback capabilities to support business continuity strategies and operations.

A company can leverage the interoperability of the DS6000 series copy services with existing DS8000 and/or Enterprise Storage Server installations. The DS6800 can be the source or target storage system of a DS8000 series or Enterprise Storage Server system. As a result, organizations have the capability of implementing a multi-tiered approach for mirroring and backup functions and/or implementing a lower-cost secondary site storage system alternative for disaster recovery.

Centralized storage management

The IBM DS6000 Storage Manager software included with the DS6800 provides an intuitive Web-based GUI for easy configuration and management. The DS6000 Storage Manager software allows administrators to perform system configuration, copy service management and other maintenance functions.

The DS6000 Storage Manager software allows storage administrators to change system settings as well as configure new volumes, define mappings, handle routine maintenance and dynamically add new enclosures and capacity to a system while avoiding interrupting data access.

The DS6000 Storage Manager supplies easy-to-use Express Configuration Wizards to help storage administrators configure and manage storage functions quickly and easily.

In addition, the DS Storage Manager software's management interfaces and commands are common with the DS8000 series and Enterprise Storage Server, so businesses can leverage existing IT administration skills.

The DS6000 series also incorporates Light Path diagnostics and controls on system enclosures. This LED visual alert and control system helps storage administrators identify and repair DS6000 series component problems quickly and without having to use

the storage management server.

Additional autonomic features such as IBM Predictive Failure Analysis can help administrators take preemptive actions to help keep data protected and available without administrative intervention.

Ongoing management of the entire storage environment can further be simplified with the IBM TotalStorage Productivity Center. IBM TotalStorage Productivity Center for Disk offers a single interface through which administrators can monitor and manage multiple DS Family as well as non-IBM disk arrays.

Enhanced storage management capabilities

The DS6800 is designed to improve data management and storage system performance. Using the DS6000 Storage Manager, administrators can strategically and dynamically allocate storage capacity to help optimize utilization and help reduce hardware and storage management costs. Instead of purchasing RAID controllers for mainframe and System i5 servers and other storage devices for UNIX, Linux and

Windows servers, the DS6800 is designed to support heterogeneous server environments. The DS6800 is a powerful, flexible and affordable disk-based system with enterprise-class resiliency and management designed to meet the ever changing storage needs of business.

Additional tools to help manage storage

The DS6800 is supported by a variety of IBM storage software offerings. Available separately, IBM TotalStorage Productivity Center software takes storage management to a new level. This collection of software provides a single administrative interface for the DS6000, DS8000 and many other individual IBM storage systems, and non-IBM disk systems that are also based on open SMI-S interfaces.

The IBM System Storage Proven program is designed to identify and test third-party products for interoperability with the DS6800 and other IBM storage

products. Products in this program have been tested to help reduce or eliminate time-consuming installation and support issues. For more information, please visit ibm.com/systems/storage/solutions/proven/.

Enterprise-class service and support

The IBM System Storage DS6000 series includes IBM installation and a one year, 24x7, IBM onsite, same-day-response warranty on both hardware and software. Additional services for maintenance, configuration, data migration and other storage management needs are available to help organizations optimize their storage infrastructure and choose the length of service and support that is right for their needs.

The DS6800 provides system status, problem notification and remote service via either telephone modem or a virtual private network (VPN) connection. This call-home capability helps IBM respond quickly and proactively. It also helps reduce or eliminate the need for an organization to place a service call. In addition, this problem notification can expedite diagnosis and repair of failed hardware or software problems.

IBM funds IT

With fair market value leases for hardware products such as IBM System Storage, IBM Global Financing's residual value position helps lower the acquisition cost, so effectively you pay for only your use of the asset. Financing can convert up-front costs into a stream of monthly payments that make budgeting easier and predictable. You preserve cash flow for other strategic investments—whether that is growing your core business or funding additional innovation.

IBM System Storage DS6800 at a glance

Characteristics	DS6800
Model	1750-522
RAID controller	Dual active
Processor	IBM Power PC® 750GX 1 GHz
Cache	2 GB cache per controller 4 GB cache per system
Battery backup for cache	72 hours
Host ports	8
Host interface	Fibre Channel/FICON
Storage ports	8
Maximum disk drives supported	128 (with expansion enclosures) 16 disk drives per enclosure, including controller
Disk drive sizes	73 GB (15K rpm) 146 GB (15K rpm) 300 GB (15K rpm) 450 GB (15K rpm)
Maximum physical storage capacity	57.6 TB (using all Fibre Channel disk drives)

IBM System Storage DS6800 at a glance

RAID levels	5, 10
Power supplies and fans	2 per enclosure
Rack support	19" rack mountable
Form factor	3U (5-1/4" high)
Point-in-time copy	FlashCopy—optional software
Mirroring	IBM Metro Mirror, Global Mirror, Global Copy—optional software Interoperable with DS8000 series, ESS 800 and 750
Software for System z	Parallel Access Volumes—optional software
Management software	IBM DS6000 Storage Manager—no charge, included with system
Multi-path software	Subsystem Device Driver—no charge download
Warranty	1 year, 24x7, same day response, parts and labor—includes both hardware and software Optional service and maintenance upgrades are available



For more information

To learn more about the IBM System Storage DS6800 or IBM Global Financing, please contact your IBM representative or IBM Business Partner, or visit:

- ibm.com/systems/storage/disk/ds6000
- ibm.com/financing

This document could include technical inaccuracies or typographical errors. IBM may not offer the products, services or features discussed in this document in other countries, and the product information may be subject to change without notice. Consult your local IBM business contact for information on the product or services available in your area. Any statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only. The information contained in this document is current as of the initial date of publication only and is subject to change without notice. All performance information was determined in a controlled environment. Actual results may vary. Performance information is provided "AS IS" and no warranties or guarantees are expressed or implied by IBM. Information concerning non-IBM products was obtained from the suppliers of their products, their published announcements or other publicly available sources. Questions on the capabilities of the non-IBM products should be addressed with the suppliers. IBM does not warrant that the information offered herein will meet your requirements or those of your distributors or customers. IBM provides this information "AS IS" without warranty. IBM disclaims all warranties, express or implied, including the implied warranties of noninfringement, merchantability and fitness for a particular purpose or noninfringement. IBM products are warranted according to the terms and conditions of the agreements under which they are provided.

© Copyright IBM Corporation 2008

IBM Systems and Technology Group
Route 100
Somers, NY 10589

Produced in the United States of America
October 2008
All Rights Reserved

IBM, the IBM logo, ibm.com and System Storage are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries or both. If these and other IBM trademarked terms are marked on their first occurrence in this information with a trademark symbol (® or ™), these symbols indicate U.S. registered or common law trademarks owned by IBM at the time this information was published. Such trademarks may also be registered or common law trademarks in other countries. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at ibm.com/legal/copytrade.shtml.

Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States, other countries or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries or both.

Other company, product and service names may be trademarks or service marks of others.



Recyclable, please recycle.